

XTT - eXtensible Task Toolkit - Feature #48

Embed sub-types by reference, instead of value-copying.

2012-08-02 15:28 - Ingo Lütkebohle

| | | | |
|---|-----------------|------------------------|-------------|
| Status: | Closed | Start date: | 2012-08-02 |
| Priority: | Normal | Due date: | |
| Assignee: | Ingo Lütkebohle | % Done: | 90% |
| Category: | datamapper | Estimated time: | 16.00 hours |
| Target version: | 2.0 | | |
| Description | | | |
| The embedding of sub-types directly into the FlatTree of their parents, while convenient for lookup, has correctness problems for embedding lists, because they can be created in several ways. Furthermore, when converting data to external forms, it is more convenient to treat them separately and, e.g., place them in a separate relation or collection. | | | |

Associated revisions

Revision 2392 - 2012-08-02 15:28 - Ingo Lütkebohle

embed sub-types and lists by reference instead of by-value. refs #48

History

#1 - 2012-08-02 15:31 - Ingo Lütkebohle

- % Done changed from 50 to 90

Largely implemented in r2392. Some left-overs from the previous list-management are still there and need to be removed, but the new functionality works.

#2 - 2012-11-16 10:37 - Ingo Lütkebohle

- Status changed from In Progress to Closed